
Linkweigh - In (Pty) Ltd

"Leading The Weigh"

BROCHURE



Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

PRODUCT MODEL	SPECIFICATION	PRICE
TRADE USE 	**PRICE COMPUTING (NON PRINTING SCALE)** - SABS APPROVED (SA1346-AA7) - Maximum Capacity:30kg - Dual Range Division: (0 -15 = 5g) (15-30 = 10g) - Power: Rechargeable Battery / AC Adaptor - Top Plate Size : 230 x 300mm - 20mm LCD Display with white LED Backlight - Functions: Preset Tare, Accumulation, Change dispensing	**BOXED WEIGHT & DIMENSIONS** 5kg (45 X 38 X 21CM)
MICRO QTP (FLAT)		
TRADE USE 	**PRICE COMPUTING (NON PRINTING SCALE)** - SABS APPROVED (SA1346-AA7) - Maximum Capacity:30kg - Dual Range Division: (0 -15 = 5g) (15-30 = 10g) - Power: Rechargeable Battery / AC Adaptor - Top Plate Size : 230 x 300mm - 20mm LCD Display with white LED Backlight - Functions: Preset Tare, Accumulation, Change dispensing	**BOXED WEIGHT & DIMENSIONS** 6kg (58 X 39 X 21CM)
MICRO QSP (TOWER)		
TRADE USE 	**MICO ZTP PRICE COMPUTING (NON PRINTING SCALE)** - SABS APPROVED (SA1596) - Maximum Capacity:30kg - Dual Range Division: (0 -15 = 5g) (15-30 = 10g) - Power: Rechargeable Battery / AC Adaptor - Top Plate Size : 204 x 263mm - 14mm LCD Display with white LED Backlight - Functions: Preset Tare | Zero | 4 direct PLU, 99 Indirect PLU	**BOXED WEIGHT & DIMENSIONS** 4.1kg (36.5 X 33.5 X 19CM)
MICRO ZTP (FLAT)		
TRADE USE 	**MICRO ZSP PRICE COMPUTING (NON PRINTING SCALE)** - SABS APPROVED (SA1596) - Maximum Capacity:30kg - Dual Range Division: (0 -15 = 5g) (15-30 = 10g) - Power: Rechargeable Battery / AC Adaptor - Top Plate Size : 204 x 263mm - 14mm LCD Display with white LED Backlight - Functions: Preset Tare | Zero | 4 direct PLU, 99 Indirect PLU	**BOXED WEIGHT & DIMENSIONS** 4.5kg (51 X 33 X 19CM)
MICRO ZSP (TOWER)		

Linkweigh – In (Pty) Ltd
"Leading The Weigh"

Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

PRODUCT MODEL	SPECIFICATION	PRICE

TRADE USE



WHIP-WOP MECHANICAL DOUGH SCALE

- Maximum Capacity: 15kg
- Robust design
- Stainless Steel Scoop
- S.A.B.S. APPROVED
- Weight Set (Optional)

BOXED WEIGHT & DIMENSIONS

14kg (43 X 32 X 29CM)

WEIGHT SET: 14KG (30 X 21 X 21CM)

WHIP-WOP BAKERY SCALE (WITHOUT WEIGHTS)

WEIGHT SET FOR WHIP-WHOP




BC-2700 NOTE COUNTER

- Automatic Start/Stop
- Preset Batching
- "ADD" Function
- LCD Display with Backlight
- Power: Mains

BOXED WEIGHT & DIMENSIONS

6.7kg (35 X 31 X 22CM)

BC-2700



MICRO CCST20 COIN COUNTING SCALE

- Maximum Capacity: 20kg
- Division: 2g
- LCD Display with white backlight
- Top Plate: 275 x 225mm
- Functions: Tare / Zero
- Displays: Denomination | Quantity | Total Value
- Power: Rechargeable Battery / AC Adaptor
- Tokens can be counted
- Scale can be upgraded when - New Coins are released
- **Optional**: Printer



RP80VI - PRINTER

- Thermal Label and Thermal Tally Roll
- Prints: Date; Time; No. of weighing's; Nett-Weight; Gross Weight; Tare Weight

BOXED WEIGHT & DIMENSIONS

5kg (45 X 38 X 21CM)

Printer - 2.4kg (29.5 X 30 X 20CM)

MICRO CCST20

MICRO RP80VI PRINTER



MICRO QHD30 DUAL COUNTING SCALE

- Maximum Capacity: 30kg
- Division: 0.5g
- Zero / Tare Function / RS232
- Top Plate - Size: 230 x 300mm
- Can connect to external platform scale
- 99 PLU support alpha character input
- 20mm LCD display with white LED Backlight
- Power: Rechargeable Battery / AC Adaptor
- **Optional**: Printer



RP80VI - PRINTER

- Thermal Label and Thermal Tally Roll
- Prints: Date; Time; No. of weighing's; Nett-Weight; Gross Weight; Tare Weight

BOXED WEIGHT & DIMENSIONS

5kg (45 X 38 X 21CM)

Printer - 2.4kg (29.5 X 30 X 20CM)

MICRO QHD30

MICRO RP80VI PRINTER

Linkweigh – In (Pty) Ltd
"Leading The Weigh"

Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

PRODUCT MODEL	SPECIFICATION	PRICE



MICRO ZCC COIN COUNTING SCALE

- LCD Display with white backlight
- Maximum Capacity: 30kg
- Division: 1g
- Plate: 204 x 263mm
- Functions: Tare / Zero
- Power: Rechargeable Battery / AC Adaptor
- Password security lock to change coin/token value
- New / Old coin weight configuration
- Totalizes serveral batches giving total value
- **Optional:** Printer



RP80VI - PRINTER

- Thermal Label and Thermal Tally Roll
- Prints: Date; Time; No. of weighing's; Nett-Weight; Gross Weight; Tare Weight

BOXED WEIGHT & DIMENSIONS

4kg (37 X 20 X 20CM)

Printer - 2.4kg (29.5 X 30 X 20CM)

MICRO

MICRO ZCC

MICRO RP80VI PRINTER



MICRO COIN SORTER

- Different dimensions of coins can be counted automatically.
- Accurately computes the total value of counted coins.
- Three counting modes: free count, batch count and fix count.
- Includes halt function to stop at anytime.
- Gives you amount of coins and total monetary value.
- Power: Mains

BOXED WEIGHT & DIMENSIONS

5.5kg (38 X 38 X 32CM)


MICRO

MICRO COIN SORTER



MICRO SS30 STAINLESS STEEL CHECK WEIGHER

- Various Capacities: 3kg x 0.5g / 6kg x 1g / 15kg x 2g / 30kg x 1g
- IP68 Fully Waterproof
- Stainless Steel Housing
- Bright Red LED Display
- Waterproof Loadcell & Waterproof Charger
- Power: Rechargeable Battery / AC Mains
- Hi/Lo Function with beeper
- Top Plate Size: 225 x 185mm



BOXED WEIGHT & DIMENSIONS

4kg (34 X 29 X 14CM)

MICRO

MICRO SS30

TRADE USE



MICRO S-29 DIGITAL STAINLESS STEEL WEIGHING SCALE

NRCS

- Capacity Dual Range **S29(6)**: 0-3kg=1g 3kg-6kg=2g
- Capacity Dual Range **S29(15)**: 0-6kg=2g 6kg-15kg=5g
- S.A.B.S. APPROVED (SA1513-AA3)
- LCD Display with Backlight (Tare, Zero, Unit select)
- Power: Rechargeable Battery / AC Adaptor
- Stainless Steel - IP65
- Top Plate Size: 230 x 190mm



BOXED WEIGHT & DIMENSIONS

5kg (40 X 31 X 20CM)

MICRO

MICRO S-29 (6/15)

Linkweigh – In (Pty) Ltd
"Leading The Weigh"

Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

PRODUCT MODEL	SPECIFICATION	PRICE



MICRO CW30 DIGITAL TABLE WEIGHING SCALE

- Maximum Capacity: 30kg
- Division: 1g
- Power: Rechargeable Battery / AC Mains
- Stainless Steel Top Plate | Plastic Housing
- Top Plate Size: 280 x 200mm

BOXED WEIGHT & DIMENSIONS

4kg (34 X 32 X 15CM)

MICRO

MICRO CW30



MICRO ZTW30 DIGITAL TABLE WEIGHING SCALE

- Maximum Capacity: 30kg
- Division: 1g
- Power: Rechargeable Battery / AC Mains
- 25mm LCD Display with 3 changeable LED backlight
- Stainless Steel Top Plate | Plastic Housing
- Top Plate Size : 265 x 205mm



BOXED WEIGHT & DIMENSIONS

4kg (35 X 35 X 20CM)

MICRO

MICRO ZTW30



MICRO SW30 DIGITAL WEIGHING SCALE

- Maximum Capacity: 30kg
- Division: 1g
- Power: Rechargeable Battery / AC Adaptor
- Stainless Steel Top Plate
- ABS Housing
- Top Plate Size: 200 x 260mm
- LCD Front Display with Backlight

BOXED WEIGHT & DIMENSIONS

4.5kg (40 X 35 X 20CM)

MICRO


MICRO SW30

TRADE USE



MICRO SW30MR DIGITAL WEIGHING SCALE

- Capacity: Dual Range 0-15kg = 5g - 15-30kg = 10g
- S.A.B.S. APPROVED (SA1513-AA4)
- Power: Rechargeable Battery / AC Adaptor
- Stainless Steel Top Plate
- ABS Housing (IP65)
- Top Plate Size: 200 x 260mm
- LCD Front & Back Display with Backlight



NRCS



BOXED WEIGHT & DIMENSIONS

4.5kg (40 X 35 X 20CM)

MICRO

MICRO SW30MR

Linkweigh – In (Pty) Ltd
"Leading The Weigh"

Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

PRODUCT MODEL	SPECIFICATION	PRICE
	**MICRO CW30C TABLE COUNTING SCALE** - Maximum Capacity: 30kg x 1g - Power: Rechargeable Battery / AC Mains - Display of weight, unit weight, and total weight - Full overload facility - Tare Function - LED Display with Backlight - Stainless Steel Top Plate - Size: 200 x 280mm | Plastic Housing	**BOXED WEIGHT & DIMENSIONS** 4kg (34 X 32 X 15CM)
MICRO CW30C		
	**MICRO ZHC+ TABLE COUNTING SCALE** - 15mm LCD Display with white LED Backlight. - Piece Counting - Power: Rechargeable Battery / AC Adaptor - Accumulation, Tare & Zero Function - Stainless Steel Top Plate - Size: 205 x 263mm - ABS Housing - Quantity Alarm	***Capacities Available:*** ZHC+3 : 3kg x 0.05g ZHC+6 : 6kg x 0.1g ZHC+15 : 15kg x 0.2g ZHC+30 : 30kg x 0.5g **BOXED WEIGHT & DIMENSIONS** 3.9kg (19 X 34 X 37CM)
MICRO ZHC+		
	**MICRO QHC+ TABLE COUNTING SCALE** - 20mm LCD Display with white LED Backlight. - Piece Counting - Pre-set Tare - Power: Rechargeable Battery / AC Adaptor - Accumulation, Tare & Zero Function - 10 Product Memory Function - Stainless Steel Top Plate - Size: 230 x 300mm - ABS Housing - Quantity Alarm	***Capacities Available:*** QHC+3 : 3kg x 0.05g QHC+6 : 6kg x 0.1g QHC+15 : 15kg x 0.2g QHC+30 : 30kg x 0.5g **BOXED WEIGHT & DIMENSIONS** 4.8kg (45 X 38 X 21CM)
MICRO QHC+		
	**DIGITAL POCKET SCALE** - Capacities Available : PS100 (100g x 0.01g) / PS500 (500g x 0.1g) - Auto Shut Off - Displays Weight in: grams, oz, ct and grains - LCD Display - Blue Backlight - Weighing Plate Size: 60 x 60mm - Power: Battery operated (6 x AA)	**BOXED WEIGHT & DIMENSIONS** 100g/500g (11 X 10 X 3CM)
PS 100		
PS 500		

Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

PRODUCT MODEL	SPECIFICATION	PRICE



PALLET-JACK

- Maximum Capacity: 2000kg
- Fork Length: 1200mm
- Fork Width: 160mm (Individual)
- Outer Fork Dimension: 1220 x 680mm
- Optional with Indicator

BOXED WEIGHT & DIMENSIONS

95kg (139 X 67 X 122CM)



PALLET-JACK2T
PALLET-JACK2T with **Micro A12** INDICATOR



DIGITAL PALLET JACK SCALE

- Maximum Capacity: 2000kg
- Division: 1kg or 500g
- Rechargeable Battery (Up to 60hours continious operate/ AC Adaptor)
- 52mm LCD Display with white colour LED backlight
- Pre-Set Tare & Net/Gross Shift
- Printing (Accumulative Printing - Total - Date & Time)
- Forks: Length Per Fork 1230mm
- Width Per Fork 180mm
- Width from outer fork 690mm

BOXED WEIGHT & DIMENSIONS

118kg (169 X 77 X 54CM)

MPS 2000 WITH PRINTER

Linkweigh – In (Pty) Ltd
"Leading The Weigh"

Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

PRODUCT MODEL	SPECIFICATION	PRICE



MICRO T2 PLATFORM SCALE

- Various Capacity Set Up
- Power: Rechargeable Battery/ Mains
- Rust proof Stainless Steel Top Plate
- Environmentally protected loadcell
- Red LED 0.6" display
- Various Platform Sizes Available

BOXED WEIGHT & DIMENSIONS

Platform Box:

- 300*300 - 8kg (71 X 19 X 37CM)
- 300*400 - 9kg (79 X 17 X 44CM)
- 400*500 - 12kg (89 X 18 X 54CM)
- 500*600 - 25kg (90 X 20 X 63CM)
- 600*800 - 50kg (102 X 22 X 74CM)

Indicator Box:

- T2 - 2kg (30 X 20 X 22CM)

MICRO T2 - 30kg x 5g	Plate: 300 x 300mm
MICRO T2 - 60kg x 5g	Plate: 300 x 400mm
MICRO T2 - 150kg x 20g / 300kg x 50g	Plate: 400 x 500mm
MICRO T2 - 500kg x 100g	Plate: 500 x 600mm
MICRO T2 - 500kg x 100g	Plate: 600 x 800mm



MICRO A12 PLATFORM SCALE

- Various Capacity Set Up
- Power: Rechargeable Battery/ Mains
- Rust proof Stainless Steel Top Plate
- Environmentally protected loadcell
- Red LED 0.6" display
- RS232 - Continuous Mode
- Various Platform Sizes Available

BOXED WEIGHT & DIMENSIONS

Platform Box:

- 300*300 - 8kg (71 X 19 X 37CM)
- 300*400 - 9kg (79 X 17 X 44CM)
- 400*500 - 12kg (89 X 18 X 54CM)
- 500*600 - 25kg (90 X 20 X 63CM)
- 600*800 - 50kg (102 X 22 X 74CM)

Indicator Box:

- A12 - 2.6kg (30 X 22 X 22CM)

MICRO A12 - 30kg x 1g	Plate: 300 x 300mm
MICRO A12 - 60kg x 5g	Plate: 300 x 400mm
MICRO A12 - 150kg x 20g / 300kg x 50g	Plate: 400 x 500mm
MICRO A12 - 500kg x 100g	Plate: 500 x 600mm
MICRO A12 - 500kg x 100g	Plate: 600 x 800mm



MICRO T7E PLATFORM SCALE

- Large 51mm Bright Red LED display
- Power: Rechargeable Battery/ Mains
- Functions: Tare | Zero | Accumulation
- RS232 - Continuous Mode
- Build in Rechargeable Battery/ Mains operated
- Various Capacity Set Up
- Hi-Lo function with alarm
- Various Platform Sizes Available
- Rust proof Stainless Steel Top Plate
- Environmentally protected loadcell

BOXED WEIGHT & DIMENSIONS

Platform Box:

- 300*300 - 8kg (71 X 19 X 37CM)
- 300*400 - 9kg (79 X 17 X 44CM)
- 400*500 - 12kg (89 X 18 X 54CM)
- 500*600 - 25kg (90 X 20 X 63CM)
- 600*800 - 50kg (102 X 22 X 74CM)

Indicator Box:

- T7E- 2.6kg (30 X 23 X 23CM)

MICRO T7E - 30kg x 1g	Plate: 300 x 300mm
MICRO T7E - 60kg x 5g	Plate: 300 x 400mm
MICRO T7E - 150kg x 20g / 300kg x 50g	Plate: 400 x 500mm
MICRO T7E - 500kg x 100g	Plate: 500 x 600mm
MICRO T7E - 500kg x 100g	Plate: 600 x 800mm

Linkweigh – In (Pty) Ltd
"Leading The Weigh"

Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

PRODUCT MODEL	SPECIFICATION	PRICE

TRADE USE



MICRO A12E PLATFORM SCALE

NRCS

- S.A.B.S. APPROVED (SA1465-AA10)
- Various Capacity Set Up
- Power: Rechargeable Battery/ Mains
- Rust proof Stainless Steel Top Plate
- Environmentally protected loadcell
- Red LED 0.6" display
- RS232 - Continious Mode & Print on Demand
- Various Platform Sizes Available
- Optional: Mini Printer

BOXED WEIGHT & DIMENSIONS


Platform Box:

- 300*400 - 9kg (79 X 17 X 44CM)
- 400*500 - 12kg (89 X 18 X 54CM)
- 500*600 - 25kg (90 X 20 X 63CM)

Indicator Box:

- A12E- 2.5kg (30 X 22 X 22CM)
- MINI PRINTER- 393g (17 X 12 X 7CM)

MICRO A12E - 30kg x 10g/60kg x 20g/150kg x 50g	Plate: 300 x 400mm
MICRO A12E - 60kg x 20g/150kg x 50g/300kg x 100g	Plate: 400 x 500mm
MICRO A12E - 150kg x 50g/300kg x 100g	Plate: 500 x 600mm
MINI PRINTER	



MICRO PLATFORM ONLY

BOXED WEIGHT & DIMENSIONS

- 300*400 - 9kg (79 X 17 X 44CM)
- 400*500 - 12kg (89 X 18 X 54CM)
- 500*600 - 25kg (90 X 20 X 63CM)

MICRO PLATFORM: 300 x 400mm L6E-3 WITH **NO INDICATOR**
MICRO PLATFORM: 400 x 500mm L6E-3 WITH **NO INDICATOR**
MICRO PLATFORM: 300 x 400mm L6G WITH **NO INDICATOR**
MICRO PLATFORM: 400 x 500mm L6G WITH **NO INDICATOR**
MICRO PLATFORM: 500 x 600mm L6G WITH **NO INDICATOR**

TRADE USE



MICRO A12E STAINLESS STEEL PLATFORM SCALE

NRCS

- Various Capacity Set Up
- Power: Rechargeable Battery/ Mains
- RS232 Continious Mode & Print on Demand
- Rust proof Stainless Steel Top Plate
- Environmentally protected loadcell
- Red LED 0.6" display
- Various Platform Sizes Available
- Optional: Mini Printer
- S.A.B.S. APPROVED (SA1465-AA10)

BOXED WEIGHT & DIMENSIONS

Platform Box:

- 300*300SS - 7kg (45 X 19 X 37CM)
- 300*400SS - 11kg (82 X 18 X 37CM)
- 400*500SS - 13kg (88 X 17 X 53CM)
- 500*600SS - 21kg (77 X 20 X 56CM)

Indicator Box:

- A12E- 2.5kg (30 X 22 X 22CM)
- MINI PRINTER- 393g (17 X 12 X 7CM)

MICRO A12E - 30kg x 1g (Non Trade Use)	Stainless Steel Plate: 300 x 300mm
MICRO A12E - 30kg x 10g/60kg x 20g/150kg x 50g	Stainless Steel Plate: 300 x 400mm
MICRO A12E - 60kg x 20g/150kg x 50g/300kg x 100g	Stainless Steel Plate: 400 x 500mm
MICRO A12E - 150kg x 50g/300kg x 100g	Stainless Steel Plate: 500 x 600mm
MINI PRINTER	

Linkweigh - In (Pty) Ltd
"Leading The Weigh"

Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

PRODUCT MODEL	SPECIFICATION	PRICE



MICRO T7E STAINLESS STEEL PLATFORM SCALE

- Large 51mm Bright Red LED display
- Power: Rechargeable Battery/ Mains
- Functions: Tare | Zero | Accumulation
- RS232 Continious Mode
- Rechargeable Battery & Mains operated
- Various Capacity Set Up
- Hi-Lo function with alarm
- Various Platform Sizes Available
- Protected Loadcell

BOXED WEIGHT & DIMENSIONS

Platform Box:

- 300*300SS - 7kg (45 X 19 X 37CM)

Indicator Box:

- T7E- 2.6kg (30 X 23 X 23CM)

MICRO T7E - 30kg x 1g STAINLESS STEEL	Plate: 300 x 300mm (Non Trade Use)

TRADE USE



MICRO A12ESS STAINLESS STEEL PLATFORM SCALE

NRCS

- Power: Rechargeable Battery/ Mains
- RS232 Continious Mode & Print on Demand
- Complete Stainless Steel
- Stainless Steel Indicator
- Protected Loadcell
- Red LED Display
- Various Capacity Set Up
- Various Platform Sizes Available
- Functions: Tare | Zero | Accumulation
- S.A.B.S. APPROVED (SA1465-AA10)

BOXED WEIGHT & DIMENSIONS

Platform Box:

- 300*300SS - 7kg (45 X 19 X 37CM)
- 300*400SS - 11kg (82 X 18 X 37CM)
- 400*500SS - 13kg (88 X 17 X 53CM)
- 500*600SS - 21kg (77 X 20 X 56CM)

Indicator Box:

- A12ESS- 3.3kg (30 X 23 X 32CM)

MICRO A12ESS - 30kg x 1g	Stainless Steel Plate: 300 x 300mm (Non Trade Use)
MICRO A12ESS - 30kg x 10g/60kg x 20g/150kg x 50g	Stainless Steel Plate: 300 x 400mm
MICRO A12ESS - 60kg x 20g/150kg x 50g/300kg x 100g	Stainless Steel Plate: 400 x 500mm
MICRO A12ESS - 150kg x 50g/300kg x 100g	Stainless Steel Plate: 500 x 600mm



MICRO KC COUNTING PLATFORM SCALE

- Instant display of quantity, unit weight, and total weight
- Power: Rechargeable Battery/ Mains
- Stainless Steel Top Plate
- 20mm LCD Display with Backlight
- Automatically averages unit weight
- Accumulation Function
- Audible alarm for Pre-set weight
- Functions: Auto Zero | Pre-Set Tare - Accumulation | Piece Checking Alarm | Unit Conversion

BOXED WEIGHT & DIMENSIONS

Platform Box:

- 300*400 - 9kg (79 X 17 X 44CM)
- 400*500 - 12kg (89 X 18 X 54CM)
- 500*600 - 25kg (90 X 20 X 63CM)

Indicator Box:

- KC- 2.4kg (32 X 22 X 25CM)

MICRO KC - Platform: 300*300mm	30kg x 5g
MICRO KC - Platform: 300*400mm	60kg x 5g/10g OR 150kg x 20g/50g
MICRO KC - Platform: 400*500mm	60kg x 10g/20g OR 150kg x 20g/50g OR 300kg x 50g/100g
MICRO KC - Platform: 500*600mm	60kg x 20g OR 150kg x 50g OR 300kg x 100g
MICRO KC - Platform: 600*800mm	300kg x 100g OR 600kg x 100g

Linkweigh – In (Pty) Ltd
"Leading The Weigh"

Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

PRODUCT MODEL	SPECIFICATION	PRICE



MECHANICAL DIAL PLATFORM SCALE

- Visable reading from front and back
- Sturdy base
- Durable
- Easy maintenance
- Plaform Size:300 x 400mm

BOXED WEIGHT & DIMENSIONS
21kg (96 X 27 X 37CM)

SRD50	50kg x 100g
SRD100	100kg x 200g
SRD150	150kg 500g

TRADE USE





MECHANICAL STEELYARD PLATFORM SCALE

NRCS

- SP901
- Capacity: 100kg
- Division: 50g
- Rust resistant brass beam
- S.A.B.S. APPROVED
- Platform: 300 x 400mm

WEIGHT & DIMENSIONS
SP901
BOXED 23kg (73 X 13 X 49CM)
ASSEMBLED: 23kg (60 X 30 X 60CM)

- SP902
- Capacity: 300kg
- Division: 200g
- S.A.B.S. APPROVED
- Rust resistant brass beam
- Platform: 600 x 400mm (Portable: Wheels)

WEIGHT & DIMENSIONS
SP902
BOXED 70kg (100 X 20 X 66CM)
ASSEMBLED: 70kg (112 X 70 X 90CM)

SP901 - Assembled	
SP901 - Unassembled	
SP902 - Assembled	
SP902 - Unassembled	
SP902 Conversion Kit Only	
SP902 Conversion	

Linkweigh – In (Pty) Ltd
"Leading The Weigh"

Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

PRODUCT MODEL	SPECIFICATION	PRICE

MICRO T7E INDUSTRIAL PLATFORM SCALE



- Low Profile (4loadcell)
- Various Capacity Set Up
- Robust design
- Full Tare Function
- Red LED display
- Mild Steel - Checkered Plate Powder Coated
- Indicator: Rechargeable Battery/ Mains
- RS232 Continious Mode

Optional Features:

- Pit Frame Mild Steel
- Ramp Mild Steel

BOXED WEIGHT & DIMENSIONS

Platform Box:

- 1m*1m - 62kg (100 X 100 X 9CM)
- 1.2m*1.2m - 81kg (120 X 120 X 9CM)
- 1.5m*1.5m - 120kg (150 X 150 X 9CM)

Indicator Box:

- T7E- 2.6kg (30 X 23 X 23CM)



MICRO

1m x 1m with **MICRO T7E** INDICATOR (Up to 3Ton) (GREY BASE)	
1.2m x 1.2m with **MICRO T7E** INDICATOR (Up to 3Ton) (GREY BASE)	
1.5m x 1.5m with **MICRO T7E** INDICATOR (Up to 3Ton) (GREY BASE)	

1m x 1m with **MICRO T7E** INDICATOR (Up to 3Ton) **(BLUE BASE)**	
1.2m x 1.2m with **MICRO T7E** INDICATOR (Up to 3Ton) **(BLUE BASE)**	
1.5m x 1.5m with **MICRO T7E** INDICATOR (Up to 3Ton) **(BLUE BASE)**	

OPTIONAL ACCESSORIES

Standard Ramp (1m x 1m)	MILD STEEL		
Standard Ramp (1.2m x 1.2m)	MILD STEEL		
Standard Ramp (1.5m x 1.5m)	MILD STEEL		

Pit Frame (1m x 1m)	MILD STEEL		
Pit Frame (1.2m x 1.2m)	MILD STEEL		
Pit Frame (1.5m x 1.5m)	MILD STEEL		
Pit Frame (1m x 1m)	GALVANIZED		
Pit Frame (1.2m x 1.2m)	GALVANIZED		
Pit Frame (1.5m x 1.5m)	GALVANIZED		

Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

PRODUCT MODEL	SPECIFICATION	PRICE

MICRO A12E / A12 INDUSTRIAL PLATFORM SCALE




A12E

- A12E S.A.B.S. APPROVED (SA1465-AA10)
- Low Profile (4loadcell)
- Various Capacity Set Up
- Indicator: Rechargeable Battery/ Mains
- Full Tare Function
- Red LED display
- Mild Steel - Checkered Plate Powder Coated
- Robust design
- RS232 Continious Mode



A12



BOXED WEIGHT & DIMENSIONS

Platform Box:

- 1m*1m - 62kg (100 X 100 X 9CM)
- 1.2m*1.2m - 81kg (120 X 120 X 9CM)
- 1.5m*1.5m - 120kg (150 X 150 X 9CM)

Indicator Box:


- A12 - 2.6kg (30 X 22 X 22CM)
- A12E- 2.5kg (30 X 22 X 22CM)

MICRO

1m x 1m with **MICRO A12** INDICATOR (Up to 3Ton)		
1.2m x 1.2m with **MICRO A12** INDICATOR (Up to 3Ton)		
1.5m x 1.5m with **MICRO A12** INDICATOR (Up to 3Ton)		

1m x 1m with **MICRO A12E** INDICATOR (Up to 3Ton)	S.A.B.S. APPROVED	
1.2m x 1.2m with **MICRO A12E** INDICATOR (Up to 3Ton)	S.A.B.S. APPROVED	
1.5m x 1.5m with **MICRO A12E** INDICATOR (Up to 3Ton)	S.A.B.S. APPROVED	

OPTIONAL ACCESSORIES

Standard Ramp (1m x 1m)	MILD STEEL		
Standard Ramp (1.2m x 1.2m)	MILD STEEL		
Standard Ramp (1.5m x 1.5m)	MILD STEEL		

Pit Frame (1m x 1m)	MILD STEEL		
Pit Frame (1.2m x 1.2m)	MILD STEEL		
Pit Frame (1.5m x 1.5m)	MILD STEEL		
Pit Frame (1m x 1m)	GALVANIZED		
Pit Frame (1.2m x 1.2m)	GALVANIZED		
Pit Frame (1.5m x 1.5m)	GALVANIZED		

All Prices are based on the Rand/Dollar Exchange. Prices may change without prior notice. All Prices are exclusive of VAT.
Stock subject to prior sales

Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07


PRODUCT MODEL	SPECIFICATION	PRICE

MICRO A12E INDUSTRIAL PLATFORM SCALE

TRADE USE

- S.A.B.S. APPROVED (SA1465-AA10)
- Low Profile (4loadcell)
- Various Capacity Set Up (3000 Divisions)
- Robust design
- Full Tare Function
- Red LED display
- Mild Steel - Checkered Plate Powder Coated
- Indicator: Rechargeable Battery/ Mains
- RS232 Continious Mode & Print on Demand





BOXED WEIGHT & DIMENSIONS

Platform Box:

- 1m*1m - 62kg (100 X 100 X 9CM)
- 1.2m*1.2m - 81kg (120 X 120 X 9CM)
- 1.5m*1.5m - 120kg (150 X 150 X 9CM)


Indicator Box:

- A12E- 2.5kg (30 X 22 X 22CM)

1m x 1m with **MICRO A12E** INDICATOR 600kg x 200g	
1m x 1m with **MICRO A12E** INDICATOR 1500kg x 500g	
1m x 1m with **MICRO A12E** INDICATOR 3000kg x 1kg	
1.2m x 1.2m with **MICRO A12E** INDICATOR 600kg x 200g	
1.2m x 1.2m with **MICRO A12E** INDICATOR 1500kg x 500g	
1.2m x 1.2m with **MICRO A12E** INDICATOR 3000kg x 1kg	
1.5m x 1.5m with **MICRO A12E** INDICATOR 600kg x 200g	
1.5m x 1.5m with **MICRO A12E** INDICATOR 1500kg x 500g	
1.5m x 1.5m with **MICRO A12E** INDICATOR 3000kg x 1kg	

OPTIONAL ACCESSORIES

Mini Printer		
Standard Ramp (1m x 1m)	MILD STEEL	
Standard Ramp (1.2m x 1.2m)	MILD STEEL	
Standard Ramp (1.5m x 1.5m)	MILD STEEL	



Pit Frame (1m x 1m)	MILD STEEL	
Pit Frame (1.2m x 1.2m)	MILD STEEL	
Pit Frame (1.5m x 1.5m)	MILD STEEL	
Pit Frame (1m x 1m)	GALVANIZED	
Pit Frame (1.2m x 1.2m)	GALVANIZED	
Pit Frame (1.5m x 1.5m)	GALVANIZED	




Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

PRODUCT MODEL	SPECIFICATION	PRICE

MICRO A12ESS STAINLESS STEEL INDUSTRIAL PLATFORM SCALE

- 304 Stainless Steel Platform
- Low Profile (4loadcell)
- Various Capacity Set Up
- Robust design
- Functions: Tare | Zero | Accumulation
- Red LED display
- Indicator: Rechargeable Battery/ Mains
- RS232 Continious Mode & Print on Demand





Optional Features:

- Stainless Steel Loadcells (On Request)
- Printing Indicator
- Pit Frame
- Ramp

BOXED WEIGHT & DIMENSIONS

Platform Box:

- 1m*1m - 70kg (100 X 100 X 9CM)
- 1.2m*1.2m - 80kg (120 X 120 X 9CM)
- 1.5m*1.5m - 138kg (150 X 150 X 9CM)

Indicator Box:

- A12ESS - 3.3kg (33 X 23 X 23CM)

MICRO

1m x 1m with **MICRO A12ESS** INDICATOR (Up to 3Ton)		
1.2m x 1.2m with **MICRO A12ESS** INDICATOR (Up to 3Ton)		
1.5m x 1.5m with **MICRO A12ESS** INDICATOR (Up to 3Ton)		

OPTIONAL ACCESSORIES


Stainless Steel Ramp (1m X 1m)		
Stainless Steel Ramp (1.2m X 1.2m)		
Stainless Steel Ramp (1.5m X 1.5m)		
Stainless Steel Pit Frame 1m x 1m		
Stainless Steel Pit Frame 1.2m x 1.2m		
Stainless Steel Pit Frame 1.5m x 1.5m		

Linkweigh – In (Pty) Ltd
"Leading The Weigh"

Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

PRODUCT MODEL	SPECIFICATION	PRICE





MICRO KC COUNTING INDUSTRIAL PLATFORM

- Instant display of quantity, unit weight, and total weight
- Indicator: Rechargeable Battery/ Mains
- Functions: Auto Zero | Pre-Set Tare | Accumulation | Piece Checking Alarm | Unit Conversion
- 20mm LCD Display with Backlight
- Automatically averages unit weight
- Low Profile (4loadcell)
- Audible alarm for Pre-set weight
- Various Capacity Set Up
- Accumulation Function
- Robust Design

BOXED WEIGHT & DIMENSIONS

Platform Box:

- 1m*1m-62kg (100 X 100 X 9CM)
- 1.2m*1.2m-81kg (120 X 120 X 9CM)
- 1.5m*1.5m-120kg (150 X 150 X 9CM)

Indicator Box:

- KC- 2.4kg (32 X 22 X 25CM)

MICRO

1m x 1m with **MICRO KC** INDICATOR (Up to 3Ton) GREY BASE H8C	
1.2m x 1.2m with **MICRO KC** INDICATOR (Up to 3Ton) GREY BASE H8C	
1.5m x 1.5m with **MICRO KC** INDICATOR (Up to 3Ton) GREY BASE H8C	



BOXED WEIGHT & DIMENSIONS

Platform Box:


- 1m*1m - 62kg (100 X 100 X 9CM)
- 1.2m*1.2m - 81kg (120 X 120 X 9CM)
- 1.5m*1.5m - 120kg (150 X 150 X 9CM)

Indicator Box:

- KC- 2.4kg (32 X 22 X 25CM)

1m x 1m with **MICRO KC** INDICATOR (Up to 3Ton) BLUE BASE SQB	
1.2m x 1.2m with **MICRO KC** INDICATOR (Up to 3Ton) BLUE BASE SQB	
1.5m x 1.5m with **MICRO KC** INDICATOR (Up to 3Ton) BLUE BASE SQB	

OPTIONAL ACCESSORIES

Standard Ramp (1m x 1m)	MILD STEEL		
Standard Ramp (1.2m x 1.2m)	MILD STEEL		
Standard Ramp (1.5m x 1.5m)	MILD STEEL		

Pit Frame (1m x 1m)	MILD STEEL		
Pit Frame (1.2m x 1.2m)	MILD STEEL		
Pit Frame (1.5m x 1.5m)	MILD STEEL		
Pit Frame (1m x 1m)	GALVANIZED		
Pit Frame (1.2m x 1.2m)	GALVANIZED		
Pit Frame (1.5m x 1.5m)	GALVANIZED		

Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

PRODUCT MODEL	SPECIFICATION	PRICE

LOCAL (SPRAYED)





IMPORTED (POWDER COATED)

MICRO T7E WEIGHBARS WITH DIGITAL INDICATOR

- Maximum Capacity: 2000kg
- Division:1kg
- Average Mode (Animal Weighing)
- Mild Steel Construction
- Bars: 1000mm x 180mm
- Indicator: Rechargeable Battery/ Mains

BOXED WEIGHT & DIMENSIONS

BARS:

LOCAL- 20kg (104 X 18 X 18CM)

IMP- 30kg (117 X 33 X 16CM)

Indicator Box:

T7E- 2.6kg (30 X 23 X 23CM)

MICRO

MICRO T7E WEIGHBARS (Local)

MICRO T7E WEIGHBARS (Imported)



MICRO T7E SHEEP/PIG DIGITAL WEIGHER

- Capacity: 600kg x 200g / 1000kg x 500g
- Indicator: Rechargeable Battery/ Mains
- Mild Steel Construction - Powder Coated
- Average Mode (Animal Weighing)

- **Cage Dimensions:**
  - > Length 124cm
  - > Height 112cm
  - > Width 70cm



BOXED WEIGHT & DIMENSIONS

90kg (123 X 29 X 103CM)

Indicator Box:

T7E- 2.6kg (30 X 23 X 23CM)

MICRO

MICRO T7E S/P SCALE





MICRO T7E CATTLE SCALE

- Cattle crush opens completely after clamping the animal and is a rugged working station in which you can weigh, work on hooves, examine, mark or give veterinary treatment.



- Maximum Capacity: 2000kg x 1kg
- Length: 3.2m
- Height: 2.9m
- Width: 2m
- Unit Weight: 400kg
- 4 x Side Gates and Front Gate
- Neck Clamp
- Indicator: Rechargeable Battery/ Mains

BOXED WEIGHT & DIMENSIONS

(INCLUDES WEIGHBARS)

522kg (202 X 161 X 126CM)

Indicator Box:


T7E- 2.6kg (30 X 23 X 23CM)

MICRO

MICRO T7E CATTLE SCALE (Incl. Weighbars)

Linkweigh – In (Pty) Ltd
"Leading The Weigh"

Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

PRODUCT MODEL	SPECIFICATION	PRICE
	**MICRO VS1 VET SCALE** - Maximum Capacity: 60kg - Division Size: 10g - Platform: 310 x 310mm - Platform stainless steel with rubber matt - Power: Rechargeable Battery / Mains - Average Mode (Animal Weighing)	**BOXED WEIGHT & DIMENSIONS** 4kg (56 X 17 X 40CM) **Indicator Box:** T7E- 2.6kg (30 X 23 X 23CM) MICRO
MICRO VS1		
	**MICRO VS2 VET SCALE** - Capacity: 150kg - Division Size: 20g - Platform stainless steel with rubber matt - Platform: 900 x 500mm - Power: Rechargeable Battery / Mains - Average Mode (Animal Weighing)	**BOXED WEIGHT & DIMENSIONS** 19kg (98 X 55 X 9CM) **Indicator Box:** T7E- 2.6kg (30 X 23 X 23CM) MICRO
MICRO VS2		
TRADE USE 	**MICRO A12E FOLDOWN / CARCASS SCALE** - S.A.B.S. APPROVED (SA1465-AA10) - Maximum Capacity: 300kg - Division: 100g - Stainless steel platform is splash proof - 4 Hooks - Fold - Down Platform 460 x 500 x 50mm - Indicator: Rechargeable Battery/ Mains	NRCS  *OPTIONAL:* ***Fold-Down Stand*** **BOXED WEIGHT & DIMENSIONS** 45kg (140 X 54 X 29CM) **Indicator Box:** A12E - 2.5kg (30 X 22 X 22CM) MICRO
FOLD-DOWN with A12E INDICATOR		
FOLD DOWN STAND (Sprayed)		
TRADE USE 	**MICRO A12E OVERHEAD TRACK SCALE** - S.A.B.S. APPROVED (SA1465-AA10) - Capacities: 600kg x 200g OR 300kg x 100g - Galvanized - Mild Steel of robust design - Indicator: Rechargeable Battery/ Mains - Used for inline carcass weighing - Rail: 800mm	NRCS **BOXED WEIGHT & DIMENSIONS** 67kg (97 X 35 X 62CM) **Indicator Box:** A12E - 2.5kg (30 X 22 X 22CM) MICRO
OHT with A12E INDICATOR		

All Prices are based on the Rand/Dollar Exchange. Prices may change without prior notice. All Prices are exclusive of VAT.
Stock subject to prior sales

Linkweigh – In (Pty) Ltd
"Leading The Weigh"

Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

PRODUCT MODEL	SPECIFICATION	PRICE



MICRO T7E WALL BEAM FOR CARCASS WEIGHING



- Maximum Capacity : 1000kg
- Division: 200g
- Galvanized
- Powder Coated wall mount
- Indicator: Rechargeable Battery/ Mains Battery/ Mains operated

BOXED WEIGHT & DIMENSIONS

19kg (80 X 10 X 40CM)

Indicator Box:

T7E- 2.6kg (30 X 23 X 23CM)

MICRO

MICRO T7E WALL-BEAM	



AXLE PAD WEIGHER

- Indicator: Rechargeable Battery/ Mains
- Large Red LED display
- Pads: Sturdy cast alluminium casings
- 4 x 5Ton block loadcells Per Pad

Optional:

- Ramp

BOXED WEIGHT & DIMENSIONS

PER PAD: 22kg (30 X 42 X 9CM)

Indicator Box:

T7E- 2.6kg (30 X 23 X 23CM)

MICRO

2PAD AXLE WEIGHER	20Ton x 5kg
4PAD AXLE WEIGHER	40Ton x 10kg
AXLE PAD RAMP	One 'on-off' Ramp Per Pad



C2T Chlorine Drum Weigher

- Wall mount
- Indicator : Red LED display
- Indicator: Rechargeable Battery/ Mains







CS300 Drum Weigher

- Maximum Capacity: 300kg
- Division: 200g
- Platform: 600 x 400mm
- Rust resistant brass beam
- Portable : Wheels
- Supplied with Chain

DRUM

- Mild steel
- Stainless Steel Loadcell
- Castors
- Corrosion protection: steel primer, undercoat and 2-3 coats enamel

BOXED WEIGHT & DIMENSIONS

CHLORINE WEIGHER: 90kg (120 X 25 X 75CM)

CHLORINE DRUM: 100kg (120 X 40 X 66CM)

Indicator Box:

T7E- 2.6kg (30 X 23 X 23CM)

WEIGHT & DIMENSIONS

CS300 (SP902)

BOXED 70kg (100 X 20 X 66CM)

ASSEMBLED: 70kg (112 X 70 X 90CM)

CS300 DRUM WEIGHER
C2T ELECTRONIC DRUM/ CYLINDER SCALE

All Prices are based on the Rand/Dollar Exchange. Prices may change without prior notice. All Prices are exclusive of VAT.
Stock subject to prior sales

Linkweigh – In (Pty) Ltd
"Leading The Weigh"
Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

PRODUCT MODEL	SPECIFICATION	PRICE
	**MARCY PULP DENSITY SCALE** - Mechanical Scale to detemine density and SG of product - Versatile - Clear markings on white chromodek dial face - Shatterproof nylon 6 housing - Thumb wheel zero adjustment - Includes a set (12=off) Dial faces	**WEIGHT & DIMENSIONS** ON REQUEST
	MARCY PULP DENSITY SCALE	
	MARCY PULP STAINLESS S. FLASK	
	**SPRING BALANCE** - Suspended weighing - Capacity: 50kg x 100g - Weighing Indication kg/lb	**BOXED WEIGHT & DIMENSIONS** 250g (23 X 3 X 5CM)
SPRING BALANCE		
	**MECHANICAL DIAL HANGING SCALE** - Suspended weighing - Bottom & Top Hook - Robust - Various Capacities Available	**BOXED WEIGHT & DIMENSIONS** 1kg (25 X 8 X 20CM)
	SR25 (25kg x 100g)	
	SR50 (50kg x 200g)	
	SR100 (100kg x 500g)	
	**DIGITAL LUGGAGE SCALE** - Maximum Capacity: 45kg - Auto Power shut off - LCD with back Light - Weighing Mode: kg, lbs - Power: Batteries	**BOXED WEIGHT & DIMENSIONS** 150g (24 X 4 X 11CM)
LUGGAGE SCALE		
	**MICRO DIGITAL FISHING SCALE** - Maximum Capacity: 50kg - Division: 20g - Auto Shut OFF - Low Battery Indication - Weighing Mode: kg, lbs - Power: Batteries	**BOXED WEIGHT & DIMENSIONS** 200g (14 X 3 X 9CM) MICRO
MDFS		
	**MICRO DIGITAL HANGING SCALE** - Maximum Capacity: 50kg - Division: 50g - Auto Shut OFF - LCD Display with back-light - Functions: Zero/Tare - Weight will hold automatically when weight is stable - Built-in measuring Tape - Power: 3 x AAA Battery	**BOXED WEIGHT & DIMENSIONS** 320g (19.5 X 3.5 X 12.5CM) MICRO
M50HS		

Linkweigh – In (Pty) Ltd
"Leading The Weigh"
Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

PRODUCT MODEL	SPECIFICATION	PRICE
	**MICRO MINI CRANE SCALE** - Capacity: 60kg x 20g or 30kg x 10g - 20mm LCD display with backlight - Stainless steel shackle and hook - Power: AA x 3 battery - Aluminum die-casting case - Unit switch - Zero - Low Battery Indication - Tare - Overload alarm - Hold - Auto power-off	**BOXED WEIGHT & DIMENSIONS** 1kg (19 X 6 X 18CM)
MICRO MINI C/S		
	**MICRO DIGITAL HANGING SCALE** - Capacities Available: * 40kg x 20g * 100kg x 50g * 300kg x 100g - LCD Display - Hold, Tare, Zero Function - Selectable Weighing Mode: kg/lb - Power: Battery operated (3 x AA) - Auto Shut Off - Auto Shut Off	**BOXED WEIGHT & DIMENSIONS** 600g (23 X 8 X 13CM)
MICRO CR300		
	**MICRO DIGITAL CRANE SCALE** - Maximum Capacity: 500kg - Division:200g - 5 Digit LCD with back lighting - Power: 3 x AA 1.5V Battery - Light Touch Keypad - Cast Aluminum Housing	**BOXED WEIGHT & DIMENSIONS** 1.5kg (28 X 11 X 18CM)
MICRO CS500		

Linkweigh - In (Pty) Ltd
"Leading The Weigh"

Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

PRODUCT MODEL	SPECIFICATION	PRICE
	**MICRO DIGITAL CRANE SCALE** - Maximum Capacity: 2000kg - Selectable Division 1kg/500g - 5 Digit LCD with back lighting - Power: Rechargeable Battery / AC Adaptor - Light Touch Keypad - Cast Aluminum Housing - Infrared remote control function - Remote Functions: ON/OFF, Tare & Zero	**BOXED WEIGHT & DIMENSIONS** 6kg (38 X 20 X 31CM) MICRO
MICRO CS2T		
	**MICRO DIGITAL CRANE SCALE** - Maximum Capacity: 3000kg - Division: 1kg - Accumulation and Hold function - Infrared remote control function - Remote Functions: ON/OFF, Tare & Zero - Power: Rechargeable battery/AC Adaptor - Red LED Display - Cast Aluminum Housing	**BOXED WEIGHT & DIMENSIONS** 13kg (68 X 30 X 26CM)
MICRO CS3T		
	**MICRO DIGITAL CRANE SCALE** - Capacities Available 5Ton or 10Ton - Accumulation and Hold function - Infrared remote control function - Remote Functions: ON/OFF, Tare & Zero - Power: Rechargeable battery/AC Adaptor - Red LED Display - Cast Aluminum Housing	**BOXED WEIGHT & DIMENSIONS** 5T - 16kg (54 X 35 X 36CM) 10T - 29kg (50 X 36 X 37CM) MICRO
MICRO CS5T (5000kg/1kg)		
MICRO CS10T (10 000kg/2kg)		
	**TRIPLE BEAM BALANCE** - High precision balance - Magnetic damping for faster stability - Rugged construction for durability - Zero adjust facility to enable zero reading - Stainless Steel weighing pan - Build in platform for density determination - Plate Sizes: JB2610-150mm Diameter JB311-95mm Diameter	 **BOXED WEIGHT & DIMENSIONS** JB2160 - 3.1kg (22 X 50 X 18CM) JB311 - 2kg (35 X 42 X 17CM)
TB 2.610kg/0.1g (without tare bar)		
TB 2.610kg/0.1g (with tare bar)		
JB 311g/0.01g		


All Prices are based on the Rand/Dollar Exchange. Prices may change without prior notice. All Prices are exclusive of VAT.
Stock subject to prior sales

Linkweigh – In (Pty) Ltd
"Leading The Weigh"

Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

PRODUCT MODEL	SPECIFICATION	PRICE
	**MICRO MECHANICAL (SLIDING WEIGHT) PHYSICIAN SCALE** - Maximum Capacity: 180kg - Division: 100g - Die cast beam, aluminium on black insert - Height Rod up to 2000mm - Platform Size: 370 x 270mm	**BOXED WEIGHT & DIMENSIONS** 17kg (150 X 15 X 50CM)
MICRO 2391 PERSONAL SCALE		
	**MICRO DIGITAL PHYSICIAN SCALE WITH HEIGHT ROD** - Maximum Capacity: 300kg - Division Size: 100g - Bright Red LED Display - Auto zero after weight removed - Height Rod up to 2100mm - Indicator: Rechargeable Battery/ Mains operated - Platform Size: 275 x 375mm	**BOXED WEIGHT & DIMENSIONS** 9.9kg (89 X 35 X 21CM) **Indicator Box:** A12 - 2.6kg (30 X 22 X 22CM)
MICRO A12 PERSONAL SCALE		
	**MICRO DIGITAL PHYSICIAN SCALE WITH HEIGHT ROD** - Maximum Capacity: 250kg - Division Size: 100g - BMI with bar graph - 25mm LCD Display with white LED backlight - Indicator: Rechargeable Battery/ AC Adaptor - Height Rod up to 2000mm - Adjustable feet - Wheels fitted at rear for easy movement - ABS Housing - Platform Size: 370 x 370mm	**BOXED WEIGHT & DIMENSIONS** 14.5kg (101 X 28 X 44CM)
MICRO M301 PERSONAL SCALE with BMI		
	**MICRO DIAL PHYSICIAN SCALE WITH HEIGHT ROD** - Maximum Capacity: 180kg - Division Size: 1kg - Large Dial easy to read - Non slip Matt - Height Rod up to 2000mm - Adjustable feet - ABS Housing - Scale can be folded for easy storage/transport - Weighing Modes: kg/lb	**BOXED WEIGHT & DIMENSIONS** 10.9kg (107.5 X 37 X 37CM)
JSA180 PERSONAL SCALE		

Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

PRODUCT MODEL	SPECIFICATION	PRICE
	**MICRO DIGITAL BATHROOM SCALE** - Maximum Capacity: 180kg - Division: 100g - Display: 4 digits LCD - Power: Battery Operated - Auto shut off - Display for low battery "LO" - 3 Weighing Modes : kg/lb/st - Shatterproof Glass Top - Can be Recalibrated	**BOXED WEIGHT & DIMENSIONS** 2.6kg (35 X 35 X 5CM)
MICRO GLASS BATHROOM SCALE		
	**MICRO A12 DIGITAL CHAIR SCALE** - Maximum Capacity: 300kg - Division: 100g - Bright Red LED display - Indicator: Rechargeable Battery/ Mains operated - Lockable Wheels for easy movement - Adjustable arms, foot rest	**BOXED WEIGHT & DIMENSIONS** 35kg (77 X 64 X 114CM) **Indicator Box:** A12 - 2.6kg (30 X 22 X 22CM)
MICRO A12 CHAIR SCALE		
MICRO A12 DIGITAL WHEEL CHAIR SCALE - Maximum Capacity: 600kg - Division: 200g - Platform Size: 1m x 1m - White epoxy coated - Complete with built-in on/off ramp - Bright Red LED Display - Indicator: Rechargeable Battery/ Mains operated		**BOXED WEIGHT & DIMENSIONS** 55kg (118 X 100 X 10CM) **Indicator Box:** A12 - 2.6kg (30 X 22 X 22CM)
MICRO A12 WHEEL CHAIR SCALE		
	**WALL MOUNTED HEIGHT MEASURE** - 2m Height Measure - Easy Installation	**BOXED WEIGHT & DIMENSIONS** 200g (17 X 8 X 3CM)
WALL-MOUNT HEIGHT MEASURE		

Linkweigh - In (Pty) Ltd
"Leading The Weigh"

Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

PRODUCT MODEL	SPECIFICATION	PRICE



MICRO M101 DIGITAL BABY SCALE

- Maximum Capacity: 15kg
- Division Size: 2/5g
- Adjustable Feet
- Pan Size: 600 x 250mm
- Measure Rod up to 800mm
- ABS Housing
- Platform Size: 280 x 325mm
- Removable baby tray for standing toddlers
- 25mm LCD Display with white LED backlight
- Power: Rechargeable Battery/ AC Adaptor

BOXED WEIGHT & DIMENSIONS
8kg (97 X 53.5 X 23CM)

MICRO

MICRO M101 DIGITAL TABLE BABY SCALE



MICRO DIGITAL BABY SCALE

- Maximum Capacity: 20kg
- Division: 10g
- Digital Display (LCD)
- Includes Measuring tape
- With music function
- Power: AA Battery Operated

BOXED WEIGHT & DIMENSIONS
2.6kg (64 X 12 X 36CM)

MICRO

MICRO DIGITAL TABLE BABY SCALE



MICRO DIAL TABLE WEIGHING BABY SCALE

- Maximum Capacity: 20kg
- Division: 50g
- Dual chart pounds or kilograms
- Plastic Removeable Baby Tray for Standing Toddlers
- Dial Reading

BOXED WEIGHT & DIMENSIONS
4kg (57 X 19 X 33CM)

MICRO

MICRO DIAL TABLE BABY SCALE



MECHANICAL SUSPENDED DIAL BABY SCALE

- Maximum Capacity: 25kg
- Division: 100g
- Taring screw allows approx. 5% adjustment on either side of zero
- Supplied with 1 pair of weighing trousers
- Trousers : Cavas material
- Stong metal zinc plated hooks
- White dial , black figures

BOXED WEIGHT & DIMENSIONS
1kg (25 X 8 X 20CM)

MICRO

SR25 DIAL SUSPENSION BABY SCALE

Linkweigh – In (Pty) Ltd
"Leading The Weigh"

Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

PRODUCT MODEL	SPECIFICATION	PRICE



DIGITAL BABY/TODDLER SCALE

- Maximum Capacity: 20kg
- Division: 5g
- LCD Display with blue back-light
- Measuring ruler printed on scale
- Weighing Modes: kg/lb
- Power: 4 x AA Battery Operated
- Auto Shut OFF
- Removable tray for standing toddlers
- Functions: Tare / Hold / Memory



BOXED WEIGHT & DIMENSIONS
17kg (63 X 59 X 96CM)

EBSH-20 DIGITAL BABY/TODDLER SCALE



MICRO DIGITAL KITCHEN SCALE

- Maximum Capacity: 15kg
- Division: 1g
- LCD Display with blue back-light
- Functions: On-Off / Tare / Unit Weight
- Weighing Modes: kg/lb
- Power: 2 x AAA Battery Operated
- Auto Shut OFF

BOXED WEIGHT & DIMENSIONS
690g (25.5 X 19 X 3.5CM)

HC-15 DIGITAL KITCHEN SCALE



DIGITAL KITCHEN SCALE

- Maximum Capacity: 5kg
- Division: 1g
- Auto shut off
- LCD display
- Power: Battery (6 X AA)/ DC Adaptor
- Low battery indication
- Top Plate Size: 153 X 153mm

BOXED WEIGHT & DIMENSIONS
850g (25 X 17 X 6CM)

MICRO

KITCHEN SCALE



INFRARED BODY THERMOMETER

- Measurement Contact - Non Contact
- Measurement Distance: 3-5cm
- Human Temperature Measurement Range: 32°-42°C
- Auto Alarm (High & Low)
- Rapid Measurement
- Infrared Temperature Sensor
- Medical Certification (CE,FCC, EN 60601-1, EN5510, EN61000-3-3)
- 3 Measurement Modes
- Power Supply: 2 x AAA Battery

BOXED WEIGHT & DIMENSIONS
70g (16 X 4 X 4CM)

FZK - INFRARED BODY THERMOMETER

Linkweigh – In (Pty) Ltd
"Leading The Weigh"

Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

PRODUCT MODEL	SPECIFICATION	PRICE







WEIGHTS
100mg
200mg
500mg
1gram
2gram
5gram
10gram
20gram
50gram
100gram
200gram
500gram
1kg
2kg
5kg Cast Iron
10kg Cast Iron
20kg Cast Iron



Weight Sets
1mg to 500mg (Aluminium Box)
1mg to 100g (Aluminium Box)
1g to 500g (Aluminium Box)
1g-5kg (Aluminium Box)
1mg-10kg (Aluminium Box)

Optional :
S.A.B.S. Verification
Calibration 1mg-500mg (Per Weight)
Calibration 1g-20kg (Per Weight)
Certificate (Max. 25 per certificate)





Special Manufactured Weight
500kg Weight
Calibration (500kg) (Per Weight)
Certificate (Max. 25 per certificate)

Linkweigh – In (Pty) Ltd
"Leading The Weigh"
Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

PITFRAME DIMENSIONS


PLATFORM DIMENSION	PITFRAME DIMENSION	PIT DIMENSION	PIT DEPTH
	A	B	C
1M X 1M	1200mm	1200mm	200mm
1.2M X 1.2M	1400mm	1400mm	200mm
1.5M X 1.5M	1700mm	1700mm	200mm
1.2M X 1.5M	1400mm	1700mm	200mm





Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

OVERHEAD TRACK DIMENSIONS



Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

Analytical Balances

Nimbus Analytical Balances



Features

- Backlit LCD display
- Colour coded keys
- Level indicator with adjustable levelling feet
- Removable draft shield supplied on 0.001g readabilities
- Robust metal housing
- Sealed keypad
- External calibration

Applications

- Weighing
- Parts counting
- Percentage weighing
- Animal / dynamic weighing
- Density determination

Model	Capacity	Readability	Pan size
NBL 84e	80g	0.0001g	90mm Ø
NBL 124e	120g	0.0001g	90mm Ø
NBL 164e	160g	0.0001g	90mm Ø
NBL 214e	210g	0.0001g	90mm Ø
NBL 254e	250g	0.0001g	90mm Ø

Accessories

No.104008036 Anti-Vibration Table
No.600002028 Adam DU - Data Collection Program
No.3014011014 RS-232 to PC Cable
No.3074010267 USB Cable
No.1120011156 ATP Thermal Printer
No.3126011263 Thermal Paper for ATP
No.3123011281 Thermal Paper For Adam ATP (10 pack)
No.2011013014 Density Kit for 0.0001g and NBL / EBL balances only
No.3012313007 Dust Cover for 0.1mg balances
No.3012313009 In use cover for 0.0001g balances
No.700100232 E2 50g Calibration weight for NBL84 model
No.700100022 E2 100g Calibration Weight for EBL104, NBL124 and NBL / EBL164 models
No.700100023 E2 200g Calibration Weight for NBL / EBL214, 254 and 314 models

Linkweigh - In (Pty) Ltd
"Leading The Weigh"
Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

Precision Balances

Nimbus Precision Balances



Features

- Backlit LCD display
- Colour coded keys
- Level indicator with adjustable levelling feet
- Removable draft shield supplied on 0.001g readabilities
- Robust metal housing
- Sealed keypad
- External calibration
- Pan lifter to easily remove samples

Applications

- Weighing
- Parts counting
- Percentage weighing
- Animal / dynamic weighing
- Density determination

Model	Capacity	Readability	Pan size
NBL 223e	220g	0.001g	120mm Ø
NBL 423e	420g	0.001g	120mm Ø
NBL 623e	620g	0.001g	120mm Ø
NBL 823e	820g	0.001g	120mm Ø
NBL 1602e	1600g	0.01g	160mm Ø
NBL 2602e	2600g	0.01g	160mm Ø
NBL 3602e	3600g	0.01g	160mm Ø
NBL 4602e	4600g	0.01g	160mm Ø
NBL 4201e	4200g	0.1g	160mm Ø
NBL 6201e	6200g	0.1g	160mm Ø
NBL 8201e	8.2kg	0.1g	160mm Ø
NBL 12001e	12kg	0.1g	400 x 300mm
NBL 16001e	16kg	0.1g	400 x 300mm
NBL 22001e	22kg	0.1g	400 x 300mm

Accessories

No.104008036 Anti-Vibration Table
No.600002028 Adam DU - Data Collection Program
No.3014011014 RS-232 to PC Cable
No.3074010267 USB Cable
No.1120011156 ATP Thermal Printer
No.3126011263 Thermal Paper for ATP
No.3123011281 Thermal Paper For Adam ATP (10 pack)
No.3012313010 In use cover for 0.001g balances
No.3012313011 In use cover for 0.01g and 0.1g balances upto 8200g
No.2011013015 Density Kit for NBL / EBL623, 823, 1023 and 1623 balances only
No.3012313008 Dust Cover for 0.001g to 0.1g balances upto 8200g
No.3012313012 In use cover for 0.1g balances 12000g and more
No.2010012712 Rechargeable battery pack for NBL223, 423, 1602, 2602, 3602, 4602, 4001, 6001 and 8001 models only
No.2010012741 Pillar option (factory fitted) for models with 300 x 400mm base size only

Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

Precision Balances

Highland™ Portable Precision Balances



Features

- 15 weighing units
- Zero Tracking
- Backlit LCD display
- Capacity tracker
- ShockProtect™ overload three-point protection
- Can be stacked for storage (120mm pan size only)
- Lock down mounting slot for Kensington™ type lock
- Removable draught shield (120mm pan size only)
- Stainless steel pan
- Non-slip adjustable levelling feet
- Below balance weighing with hanger
- Colour coded, sealed keypad
- Dual tare keys
- RS-232 and USB interface
- Handical™ manual internal calibration with built-in mass
- Auto power off
- Low battery indication
- DC Adapter

Applications

- Weighing
- Percentage weighing
- Parts counting
- Below balance weighing
- Weight accumulation

Model	Capacity	Readability	Pan size
HCB 123	120g	0.001g	120mm Ø
HCB 153	150g	0.005g	120mm Ø
HCB 302	300g	0.01g	120mm Ø
HCB 602H	600g	0.01g	120mm Ø
HCB 602	600g	0.02g	120mm Ø
HCB 1002	1000g	0.01g	120mm Ø
HCB 1502	1500g	0.05g	120mm Ø
HCB 3001	3000g	0.1g	120mm Ø

Shipping weight: 3kg Dimensions: 28.5 x 35.5 x 14cm. Single
Shipping weight: 15.53kg Dimensions: 59 x 39 x 45cm. Case of 6

Accessories

No.1120011156 ATP Thermal Printer
No.3126011263 Thermal Paper for ATP
No.3123011281 Thermal Paper For Adam ATP (10 pack)
No.3074010266 RS-232 to PC Cable
No.600002028 Adam DU - Data Collection Program
No.308232030 In-use Cover
No.308232034 In-Use Cover pack of 5
No.308232035 In-Use Cover pack of 10
No.308002042 Hard Carry Case with Lock
No.700100046 Security Lock and Cable
No.3074010267 USB Cable
No.700100007 F1 100g Calibration Weight for HCB 123
No.700100007 F1 100g Calibration Weight for HCB 153
No.700100012 F1 200g Calibration Weight for HCB 302
No.700100012 F1 200g Calibration Weight for HCB 602
No.700100012 F1 200g Calibration Weight for HCB 602H
No.700100009 F1 1kg Calibration Weight for HCB 1002
No.700100009 F1 1kg Calibration Weight for HCB 1502
No.700100010 F1 2kg Calibration Weight for HCB 3001

Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

Compact Balances

Core™ Compact Portable Balances



Features

- 9 weighing units
- Full range tare
- Backlit LCD display
- Stainless steel pan
- ShockProtect™ overload three-point protection
- Can be stacked for storage (120mm pan size only)
- Lock down mounting slot for Kensington™ type lock and cable
- Dual tare keys
- Lightweight and portable
- Colour coded, sealed keypad
- Modern low profile design
- Low cost and simple to use
- External calibration
- Auto sleep / power down function to save battery life
- Auto power off
- Low battery indication
- AC Adapter
- Below balance weighing with hanger

Applications

- Weighing
- Below balance weighing
- Weight accumulation

Model	Capacity	Readability	Pan size
CQT 202	200g	0.01g	120mm Ø
CQT 251	250g	0.1g	120mm Ø
CQT 601	600g	0.1g	120mm Ø
CQT 1501	1500g	0.1g	120mm Ø
CQT 2601	2600g	0.1g	145mm Ø
CQT 2000	2000g	1g	145mm Ø
CQT 5000	5000g	1g	145mm Ø

Shipping weight: 1.7kg Dimensions: 28.5 x 35.5 x 14cm. Single

Accessories
No.308002042 Hard Carry Case with Lock
No.700100046 Security Lock and Cable
No.308232033 In-use Cover
No.308232036 In-Use Cover pack of 5
No.308232037 In-Use Cover pack of 10
No.700100012 F1 200g Calibration Weight for CQT 202
No.700100072 M1 200g Calibration Weight for CQT 251
No.700100060 M1 500g Calibration Weight for CQT 601
No.700100029 M1 1kg Calibration Weight for CQT 1501
No.700100030 M1 2kg Calibration Weight for CQT 2000
No.700100030 M1 2kg Calibration Weight for CQT 2601
No.700100030 M1 2kg Calibration Weight for CQT 5000

Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

Compact Balances

Dune™ Compact Balances



Features

- 3 Weighing units (g, lb, oz)
- Full range tare
- Zero Tracking
- Large easy to read LCD display
- Overload protection
- Colour coded, sealed keypad
- Lightweight and portable
- Simple user-friendly operation
- Precision load cell technology
- Splashproof to protect from accidental spills
- External calibration
- Low battery indication
- Auto sleep / power down function to save battery life

Applications

- Weighing

Model	Capacity	Readability	Pan size
DCT 201	200g	0.1g	145 x 145mm
DCT 2000	2000g	1g	145 x 145mm
DCT 5000	5000g	2g	145 x 145mm

Shipping weight: 0.8kg Dimensions: 31 x 16 x 5cm. Single
Shipping weight: 10.9kg Dimensions: 49 x 32 x 23cm. Case of 12

Accessories

Compact Balances

CB Compact Scale



Features

- Easy to use keypad
- Portable with battery power
- Stainless steel pan
- g, oz and lb

Model	Capacity	Readability	Pan size
CB 501	500g	0.1g	130mm Ø
CB 1001	1000g	0.1g	130mm Ø
CB 3000	3000g	1g	130mm Ø

Accessories

No.700400120 6vDC 200mA Adaptor
No.700100060 M1 500g Calibration Weight for CB 501
No.700100029 M1 1kg Calibration Weight for CB 1001

Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

Moisture Analyser

PMB Moisture Analyser



Features

- Zero adjust facility to enable zero reading
- Built-in memories for storing products and settings
- 3 settings for heating sample fast ramp up, step and standard
- Automatic test start setting for when the lid is closed
- Date and time
- Zero Tracking
- Full range tare
- Quick and easy to configure through the keypad
- Multilingual display
- Large backlit display with dual text prompts
- Capacity tracker
- Security bracket
- Non-slip adjustable levelling feet
- Colour coded, sealed keypad
- Large stainless steel pan
- Lock down mounting slot for Kensington™ type lock and cable
- Overload protection
- Splashproof to protect from accidental spills
- Spirit Level
- RS-232 and USB interface
- GLP print outs
- Calibration facilities for temperature and weight
- Mains Power Cord
- Pan lifter to easily remove samples

Applications

- Moisture determination
- Weighing

Model	Capacity	Readability	Pan size
PMB 53	50g	0.001g /0.01%	100mm Ø
PMB 202	200g	0.01g /0.05%	100mm Ø

Shipping weight: 8.1kg Dimensions: 48 x 38 x 30cm.

Accessories
No.307140001 Disposable Aluminium Sample Pans (Pack of 250)
No.1120011156 ATP Thermal Printer
No.3123011281 Thermal Paper For Adam ATP (10 pack)
No.3126011263 Thermal Paper for ATP
No.700100046 Security Lock and Cable
No.600002028 Adam DU - Data Collection Program
No.3074010266 RS-232 to PC Cable
No.3074010267 USB Cable
No.301208188 In-use Cover
No.1070010636 Temperature Calibration Kit
No.700100014 F1 50g Calibration Weight for PMB 53
No.700100012 F1 200g Calibration Weight for PMB 202

Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

Grain Scale

CQT Grain Scale



Features

- 3 Weighing units
- Full range tare
- Backlit LCD display
- Stainless steel pan
- ShockProtect™ overload three-point protection
- Lock down mounting slot for Kensington™ type lock and cable
- Removable draught shield (120mm pan size only)
- Lightweight and portable
- Modern low profile design
- Colour coded, sealed keypad
- Low cost and simple to use
- External calibration
- Auto sleep / power down function to save battery life
- AC Adapter
- Low battery indication
- Below balance weighing with hanger

Applications

- Weighing
- Below balance weighing

Model	Capacity	Readability	Pan Size
CQT 1752GR	1750g	0.05g	120mm Ø

Shipping weight: 1.7kg Dimensions: 28.5 x 35.5 x 14cm. Single

Accessories
No.308002042 Hard Carry Case with Lock
No.700100046 Security Lock and Cable
No.308232033 In-use Cover
No.308232036 In-Use Cover pack of 5
No.308232037 In-Use Cover pack of 10
No.700100029 M1 1kg Calibration Weight

Physical Address: 172 voortrekker road, Brakpan
Tel: 010 595 1696
E-mail: info@linkweighin.co.za
VAT: 4950266843 / REG: 2012/004889/07

Balance Scale

Precision Balance



Features

- High-precision straining resistance sensor
- Strong anti-overload function
- Stainless steel pan
- Optional power saving mode
- With LCD display, blue back light
- Operating temperature: 10 to 60°C
- Unit: g/ct/oz/ozt/dwt/tola/lb/tmr
- Removable drought shield
- Battery 6v
- Adapter 12v/1ah

Model	Capacity	Readability	Pan Size
DJ-300g	300g	0.001g	90mm Ø

Balance Scale

Electronic Balance



Features

- High-precision straining resistance sensor
- Strong anti-overload function
- Stainless steel pan
- Optional power saving mode
- With LCD display, blue back light
- Operating temperature: 10 to 60°C
- Unit: g/ct/oz/ozt/dwt/tola/lb/tmr
- Power: Battery 6v + adapter 12v/1ah
- Removable drought shield
- Battery 6v
- Adapter 12v/1ah
- Balance size: 270 x 170 x 80mm

Model	Capacity	Readability	Pan Size
DJ-600g	600g	0.01g	120mm Ø
DJ-1000g	1000g	0.01g	120mm Ø
DJ-1200g	1200g	0.01g	120mm Ø
DJ-6000g	6000g	0.1g	120mm Ø